

MATERIAL SAFETY DATA SHEET

CHEMSPEC ® • 901 N. NEWKIRK STREET • BALTIMORE, MD 21205 • (410) 675-4800

HEALTH = 1, FLAMMABILITY = 2, REACTIVITY = 0, SPECIAL = NONE, DEGREE OF HAZARD: 4 = EXTREME, 3 = HIGH, 2 = MODERATE, 1 = SLIGHT, 0 = INSIGNIFICANT

PRODUCT NAME: **DRY CLEANING CONCENTRATE**

DOCUMENT CODE: Dry Cleaning Concentrate

CHEMICAL FAMILY: Mixture

DATE: 01/06/94

DATE REVIEWED: 08/17/99

EMERGENCY 24-HOUR TELEPHONE # 1-800-424-9300 (CHEMTREC)

N/A = Not applicable

N/D = Not determined

SECTION I: HAZARDOUS INGREDIENTS/HEALTH HAZARD DATA

This product has not been tested as a whole for health effects on animals or humans. According to the OSHA Hazardous Communications Standard (29 CFR 1910.1200) any hazardous ingredients that comprise >1.0% of the material and any carcinogenic ingredients that comprise >0.1% must be listed on the MSDS.

SECTION I (a): List of carcinogenic ingredients at >0.1%.

None.

SECTION I (b): List of hazardous ingredients at >1.0%.

NAME	CAS NO.
ODORLESS MINERAL SPIRITS	64742-48-9
May cause eye and skin irritation. Inhalation of concentration >1000 ppm may cause adverse CNS effects. Aspirations of material may lead to pulmonary injury. Manufacturer's recommended exposure limit is 300 ppm.	
D-LIMONENE	68647-72-3
Repeated/prolonged skin contact may cause irritation, contact dermatitis or sensitization. May cause eye irritation. Inhalation of high concentrations may cause respiratory irritation and CNS depression. Ingestion of large quantities, repeated dermal or inhalation overexposures may produce kidney or bladder effects. Oral rat LD50 is 3000 mg/kg; dermal rabbit LD50 is >5000 mg/kg.	
2-PROPANOL-1-BUTOXY	5131-66-8
May cause eye irritation and corneal injury. May cause skin irritation. Absorption of material may produce anesthetic or narcotic effects. Excessive inhalation may cause upper respiratory tract irritation and CNS effects. Overexposures may effect liver. Oral rat LD50 is 3300 mg/kg; dermal rabbit LD50 is 1400 mg/kg. OSHA PEL and ACGIH TLV not available.	
ETHANOL	64-17-5
May cause eye irritation and injury. May cause skin irritation. Inhalation may cause respiratory and CNS effects. Ingestion can cause irritation, nausea, vomiting and diarrhea. Aspiration may lead to chemical pneumonitis. Overexposures may effect liver, kidney, eye, alcohol is associated with birth defects and can cause cancer. OSHA PEL and ACGIH TLV are 1000 ppm.	

SECTION II: EMERGENCY AND FIRST AID PROCEDURES

EYES:	Flush with water for at least 15 minutes. Consult physician.
SKIN:	Remove contaminated clothing. Wash exposed skin with soap and water.
INHALED:	Remove to fresh air. If symptoms persist consult physician.
INGESTION:	Do not induce vomiting. Get prompt medical attention.
PHYSICIAN:	Danger of aspiration of material must be weighed against possible toxicity of mixture. Treatment based on judgment of attending physician.

SECTION III: PHYSICAL / CHEMICAL DATA

APPEARANCE AND ODOR: Clear colorless liquid with orange/solvent odor. WATER SOLUBILITY, % BY WT: 30 - 35
%SPECIFIC GRAVITY: Approximately 0.82 WT/GAL: 6.8 lbs. %VOLATILE BY WT: 80 - 90

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT: 103 degrees F (TCC) AUTO-IGNITION TEMPERATURE: N/D
EXPLOSIVE LIMITS - LEL: N/D UEL: N/D EXTINGUISHING MEDIA: CO₂, dry chemical or alcohol foam.
SPECIAL FIRE FIGHTING PROCEDURES: Use NIOSH/MSHA approved self-contained positive-pressure breathing apparatus and protective clothing where this material is involved in a fire.
UNUSUAL FIRE AND EXPLOSION HAZARD: Material is combustible.

SECTION V: REACTIVITY DATA

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur. INCOMPATIBILITY: Strong oxidizing agents.
HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS: Possibly oxides of carbon and sulfur, H₂O, acid, H₂S and unidentified compounds.

SECTION VI: SPILLS, LEAKS AND DISPOSAL PROCEDURES

WASTE DISPOSAL: In accordance with Federal, State and Local regulations. NEUTRALIZING CHEMICALS: N/A

SECTION VII: PROTECTION MEASURES

VENTILATION: Local exhaust or dilution ventilation. EYE PROTECTION: Chemical resistant safety glasses.
RESPIRATORY PROTECTION: When proper ventilation cannot be achieved, use NIOSH/MSHA approved respirator equipped with organic vapor cartridges.
GLOVES: Solvent resistant rubber gloves. OTHER PROTECTIVE EQUIPMENT: Body-covering clothing should be worn.

SECTION VIII: SPECIAL PRECAUTIONS

One should always use chemicals with awareness of potential hazards, known and unknown, and their effect on the human system. We urge users to minimize employee exposure to all chemicals, including this product and to keep the level of exposure commensurate with good industrial hygiene practices.

DISCLAIMER OF LIABILITY

The manufacturer and seller warrants that this product conforms to its standard specifications when used according to directions. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without any warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material and the results to be obtained from the use thereof.