

MATERIAL SAFETY DATA SHEET**CHEMSPEC ® • 901 N. NEWKIRK STREET • BALTIMORE, MD 21205 • (410) 675-4800**

HEALTH = 1, FLAMMABILITY = 2, REACTIVITY = 0, SPECIAL = NONE, DEGREE OF HAZARD: 4 = EXTREME, 3 = HIGH, 2 = MODERATE, 1 = SLIGHT, 0 = INSIGNIFICANT

PRODUCT NAME: **NON-RESIDUAL ROTO-BRITE**

DOCUMENT CODE: Non Residual Roto Brite

DATE: 05/20/93

DATE REVIEWED: 08/20/99

EMERGENCY 24-HOUR TELEPHONE # 1-800-424-9300 (CHEMTREC)

N/A = Not applicable

CHEMICAL FAMILY: Mixture

N/D = Not determined

SECTION I: HAZARDOUS INGREDIENTS/HEALTH HAZARD DATA

This product has not been tested as a whole for health effects on animals or humans. According to the OSHA Hazardous Communications Standard (29 CFR 1910.1200) any hazardous ingredients that comprise >1.0% of the material and any carcinogenic ingredients that comprise >0.1% must be listed on the MSDS.

SECTION I (a): List of carcinogenic ingredients at >0.1%.

None.

SECTION I (b): List of hazardous ingredients at >1.0%.

NAME	CAS NO.
------	---------

D-LIMONENE	5989-27-5
-------------------	------------------

Repeated or prolonged skin contact may cause irritation, contact dermatitis or sensitization. May cause eye irritation. Inhalation of high vapor concentrations may cause respiratory irritation and CNS depression. Ingestion of large quantities, repeated dermal or inhalation overexposures may produce kidney or bladder effects. Oral rat LD50 is 3000 mg/kg; dermal rabbit LD50 is >5000 mg/kg. OSHA PEL and ACGIH TLV not available.

1-METHOXY-2-PROPANOL	107-98-2
-----------------------------	-----------------

May cause temporary eye injury. May irritate skin. Dermal absorption may cause drowsiness. Vapors may cause eye, nose and throat irritation. Inhalation of concentrations > 100 ppm may have anesthetic effects. Overexposures may lead to liver and kidney effects. Oral rat LD50 is 6 g/kg; dermal rabbit LD50 is 1400 mg/kg. OSHA PEL and ACGIH TLV not available.

2-PROPANOL-1-BUTOXY	5131-66-8
----------------------------	------------------

May cause eye irritation and corneal injury. May cause skin irritation. Absorption of material may produce anesthetic or narcotic effects. Excessive inhalation may cause upper respiratory tract irritation and CNS effects. Overexposures may effect liver. Oral rat LD50 is 3300 mg/kg; dermal rabbit LD50 is 1400 mg/kg. OSHA PEL and ACGIH TLV not available.

2-METHOXYETHYLETHOXY PROPANOL	34590-94-8
--------------------------------------	-------------------

May cause eye irritation. Inhalation of vapors may cause irritation and drowsiness. OSHA PEL and ACGIH TLV not available.

SECTION II: EMERGENCY AND FIRST AID PROCEDURES

EYES: Flush with water for at least 15 min. Consult physician.

SKIN: Remove contaminated clothing. Thoroughly wash exposed skin with soap and water.

INHALED: Remove to fresh air. If symptoms persist consult physician.

INGESTION: Drink water and induce vomiting. Seek medical attention.

PHYSICIAN: Treatment based on judgment of attending physician.

SECTION III: PHYSICAL / CHEMICAL DATA

APPEARANCE AND ODOR: Clear colorless liquid with citrus odor.

SPECIFIC GRAVITY: 0.96

pH: 9.0 - 10.0

WATER SOLUBILITY, % BY WT: 75 - 80

% VOLATILE BY WT.: 100

WT/GAL: 8.0 lbs.

pH @ USE: 8.5 - 9.5

BOILING POINT: N/D

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT: 124 degrees F (TCC) AUTO-IGNITION TEMPERATURE: N/D EXPLOSIVE LIMITS - LEL: N/D UEL: N/D

EXTINGUISHING MEDIA: Water fog, CO₂, alcohol foam or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Use NIOSH/MSHA approved self-contained positive-pressure breathing apparatus and protective clothing where this material is involved in a fire.

UNUSUAL FIRE AND EXPLOSION HAZARD: None known.

SECTION V: REACTIVITY DATA

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS: Possibly CO, CO₂, H₂O, and unidentified organic compounds.**SECTION VI: SPILLS, LEAKS AND DISPOSAL PROCEDURES**

WASTE DISPOSAL: In accordance with Federal, State and Local regulations. NEUTRALIZING CHEMICALS: Water

SECTION VII: PROTECTION MEASURES

VENTILATION: Local exhaust or dilution ventilation.

EYE PROTECTION: Chemical resistant safety glasses.

RESPIRATORY PROTECTION: When adequate ventilation cannot be achieved, use NIOSH/MSHA approved respirator equipped with organic vapor cartridges.

GLOVES: Rubber gloves.

OTHER PROTECTIVE EQUIPMENT: Body-covering clothing should be worn.

SECTION VIII: SPECIAL PRECAUTIONS

One should always use chemicals with awareness of potential hazards, known and unknown, and their effect on the human system. We urge users to minimize employee exposure to all chemicals, including this product and to keep the level of exposure commensurate with good industrial hygiene practices.

DISCLAIMER OF LIABILITY

The manufacturer and seller warrants that this product conforms to its standard specifications when used according to directions. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without any warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material and the results to be obtained from the use thereof.