

Material Safety Data Sheet

HMIS®

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

HEALTH

1

REACTIVITY

0

FLAMMABILITY

0

PERSONAL PROTECTION

B

Identity (As Used on Label and List)

36232, 36201, 36225, 36205, 36295, 36294, 36235, 36255 Orange Power Foam

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name

ITW Dymon

Emergency Telephone Number

1-800-535-5053

Address (Number, Street, City, State, and ZIP Code)

805 EAST OLD 56 HIGHWAY

Telephone Number for Information

1-913-397-9889

OLATHE, KANSAS 66061

Date Prepared

April 3, 2000

Signature of Preparer (Optional)

Regulatory Dept.

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific

Chemical Identity, Common Name(s))

CAS No.

OSHA PEL

ACGIH-TLV

Other Limits

Recommended

%(Opt.)

*2-Butoxyethanol

111-76-2

50 ppm (skin)

25 ppm (skin)

1 - 5 %

* This product contains 2-Butoxyethanol (a glycol ether compound) which is listed and may require reporting under SARA Title III Sec. 313 if used over the threshold reporting quantity. This information must be included in all MSDSs that are copied and distributed for this material.

TSCA: All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

SECTION III Physical/Chemical Characteristics

Boiling Point

212° F

Specific Gravity (H₂O = 1)

@70° F

1.02

Vapor Pressure (mm-Hg @ 70° F)

No Data

Melting Point

No Data

Vapor Density (AIR = 1)

Greater than one (1)

Evaporation Rate (Butyl Acetate = 1)

No Data

Solubility in Water

Complete

pH

11.1 ± 0.5

Appearance and Odor -

Clear orange liquid with a citrus scent.

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used)

None to boiling point (TCC - est.)

Flammable Limits

No Data

LEL

No Data

UEL

No Data

Extinguishing Media -

Not usually necessary as this material does not readily support combustion. Use media appropriate for fire's fuel source.

Special Fire Fighting Procedures - Keep containers cool and vapors down with water spray. Prevent runoff from entering sewers and public waterways. Wear SCBA in chemical fires.

Unusual Fire and Explosion Hazards -

Contact with aluminum may generate flammable hydrogen gas.

36232, 36201, 36225, 36205, 36295, 36294, 36235, 36255

April 3, 2000

SECTION V - Reactivity Data

Stability	Unstable		Conditions to Avoid - None known
	Stable	X	

Incompatibility (Materials to Avoid) -

Strong acids, oxidizing and reducing agents; materials reactive with hydroxyl compounds.

Hazardous Decomposition or Byproducts -

Carbon dioxide, carbon monoxide and various organic oxidation products.

Hazardous Polymerization	May Occur		Conditions to Avoid - None known
	Will Not Occur	X	

SECTION VI - Health Hazard Data

Route(s) of Entry	Eyes?	Inhalation?	Skin?	Ingestion?
	Yes	No	No	Yes

Health Hazards (Acute and Chronic) -

Caution. May cause eye and skin irritation. May be harmful if inhaled or swallowed. May be absorbed through intact skin. Repeated or prolonged occupational overexposure may cause dermatitis. Overexposures may induce central nervous system effects. Follow good chemical hygiene practices when using this and other alkaline cleaners.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
None known	No	No	No

Signs and Symptoms of Exposure -

Redness, tearing or burning in eyes. Redness, drying or cracking skin. Irritation of the nose or throat. Inhaling or swallowing may bring about drowsiness, dizziness, nausea, fatigue or loss of coordination.

Medical Conditions Generally Aggravated by Exposure -

Pre-existing skin, blood, liver, kidney or lung disorders may be adversely affected.

Emergency and First Aid Procedures:

Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. See a physician immediately.

Ingestion - Call a physician or poison control center immediately. **Inhalation** - Get to fresh air. If breathing has stopped, qualified personnel should administer artificial respiration. **Skin** - Flush with plenty of water for at least 15 minutes. If irritation arises or persists, call a physician.

SECTION VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled -

Caution, slip hazard. Wipe up small spills promptly with a rag, towel or other absorbent material. For large spills, isolate and ventilate area. Eliminate all ignition sources. Wear protective equipment as required. Dike to prevent spread. Pick up on an absorbent material. Put in suitable container for proper disposal.

Waste Disposal Method -

Consult local, state, and federal regulations. Triple rinse empty container then offer for recycling, reuse, or reconditioning.

Precautions to be Taken in Handling and Storing -

Avoid contact with eyes, skin and clothing. Avoid inhaling mists. Wash thoroughly after handling. Do not swallow.

Other Precautions - Follow label directions carefully. Keep out of reach of children. Keep container tightly sealed when not in use. Do not contaminate water, food or feed by use or storage.

SECTION VIII - Control Measures

Respiratory Protection (Specify Type) -

Not usually necessary. Use with adequate ventilation. Use NIOSH/MSHA approved respirator if PELs or TLVs are exceeded.

Ventilation	Local Exhaust	Not usually needed	Special	None
	Mechanical (General)	Yes	Other	None

Protective Gloves -

Yes, impervious

Eye Protection -

Yes, goggles or approved safety glasses (ANSI Z87)

Other Protective Clothing or Equipment

Not usually needed. If direct contact is possible, wear apron, boots, face shield, etc. as necessary.

Work/Hygienic Practices -

Normal. Wash hands after use and before eating, drinking, smoking, using restrooms, etc.

WARNING! The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. THE MANUFACTURER WARRANTS ONLY THAT THIS PRODUCT MEETS THE MANUFACTURER'S SPECIFICATIONS FOR SUCH PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, OR ANY OTHER MATTER OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT. The sole and exclusive remedy against the manufacturer for breach of warranty shall be reimbursement of the purchase price of the product in the event that a defective condition of the product shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.